

Juntas de Vedação



EPDM Sponge Adhesive Seal

Black EPDM



- Supplied in rolls of 10m
- Easy to apply adhesive seal
- Ideal for metal enclosures

Ref_MGO	Descrição	Espessura	Largura	Rolo
132205911	Ved.Esponjoso EPDM c/Adesivo	2	20	10mts
132208192	Ved.Esponjoso EPDM c/Adesivo	2	40	10mts
132206393	Ved.Esponjoso EPDM c/Adesivo	2	50	10mts
132206394	Ved.Esponjoso EPDM c/Adesivo	3	6	10mts
132206505	Ved.Esponjoso EPDM c/Adesivo	3	10	10mts
132204440	Ved.Esponjoso EPDM c/Adesivo	3	15	10mts
132206590	Ved.Esponjoso EPDM c/Adesivo	3	20	10mts
132204504	Ved.Esponjoso EPDM c/Adesivo	3	25	10mts
132206512	Ved.Esponjoso EPDM c/Adesivo	3	30	10mts
132201166	Ved.Esponjoso EPDM c/Adesivo	3	40	10mts
132206329	Ved.Esponjoso EPDM c/Adesivo	3	50	10mts
132200166	Ved.Esponjoso EPDM c/Adesivo	5	7	10mts
132207324	Ved.Esponjoso EPDM c/Adesivo	5	10	10mts
132200119	Ved.Esponjoso EPDM c/Adesivo	5	12	10mts
132201179	Ved.Esponjoso EPDM c/Adesivo	5	15	10mts
132201188	Ved.Esponjoso EPDM c/Adesivo	5	20	10mts
132201467	Ved.Esponjoso EPDM c/Adesivo	5	25	10mts
132200121	Ved.Esponjoso EPDM c/Adesivo	5	30	10mts
132203144	Ved.Esponjoso EPDM c/Adesivo	5	35	10mts
132201190	Ved.Esponjoso EPDM c/Adesivo	5	40	10mts
132205227	Ved.Esponjoso EPDM c/Adesivo	5	50	10mts
132207509	Ved.Esponjoso EPDM c/Adesivo	5	100	10mts
132204969	Ved.Esponjoso EPDM c/Adesivo	8	15	10mts
132203114	Ved.Esponjoso EPDM c/Adesivo	8	20	10mts
132202641	Ved.Esponjoso EPDM c/Adesivo	8	25	10mts
132205276	Ved.Esponjoso EPDM c/Adesivo	8	30	10mts
132208034	Ved.Esponjoso EPDM c/Adesivo	8	40	10mts
132207690	Ved.Esponjoso EPDM c/Adesivo	8	60	10mts
132206262	Ved.Esponjoso EPDM c/Adesivo	10	15	5mts
132201473	Ved.Esponjoso EPDM c/Adesivo	10	20	5mts
132206281	Ved.Esponjoso EPDM c/Adesivo	10	25	5mts
132207040	Ved.Esponjoso EPDM c/Adesivo	10	30	5mts
132208035	Ved.Esponjoso EPDM c/Adesivo	10	40	5mts
132203351	Ved.Esponjoso EPDM c/Adesivo	10	50	5mts
132206826	Ved.Esponjoso EPDM c/Adesivo	12	25	5mts
132205501	Ved.Esponjoso EPDM c/Adesivo	12	30	5mts
132206323	Ved.Esponjoso EPDM c/Adesivo	15	15	5mts
132205673	Ved.Esponjoso EPDM c/Adesivo	15	20	5mts
132206913	Ved.Esponjoso EPDM c/Adesivo	15	30	5mts
132205500	Ved.Esponjoso EPDM c/Adesivo	20	20	5mts
132200813	Ved.Esponjoso EPDM c/Adesivo	20	25	5mts
132206375	Ved.Esponjoso EPDM c/Adesivo	20	30	5mts

Weather/Gasketing Strip

Black Neoprene, Nitrile, PVC blend



- Rubber-based permanent adhesive on one side (not recommended for direct UV exposure)
- Excellent resistance to acid, ozone and oxidation
- Service Temperature: -28°C to 101°C
- Density (kg/m3): 64 - 112
- Compression Deflection: 140 - 350 g/cm2
- For HVAC or electrical enclosures, lighting fixtures, vibration dampening and more

Part Number	Dimensions (mm)		Roll Length (m)	Rolls Per Carton
	Width	Thickness		
472061	12.7	3.2	15	20
472063	25.4	3.2	15	10
472067	12.7	6.4	15	20
472069	25.4	6.4	15	10


Adhesive Bubble Gasket

Black EPDM


- Supplied in rolls of 20m
- Easy to apply adhesive seal
- Type 6 splits down the centre to divide into 2x10m

Type 1

Ref. MGO	Type	Roll Length (m)
132209585	1	20




Type 1




Type 2

Ref. MGO	Type	Roll Length (m)
132209586	2	20




Type 2



Type 3

Ref. MGO	Type	Roll Length (m)
132202148	3	20




Type 3




Type 4

Ref. MGO	Type	Roll Length (m)
132208888	4	20




Type 4




Type 5

Ref. MGO	Type	Roll Length (m)
132209587	5	20




Type 5




Type 6

Ref. MGO	Type	Roll Length (m)
132209588	6	2x10m



Type 6




Top Bubble



Gasket

Black EPDM



- Supplied in rolls of 20m
- Clip on profile offering edge protection and sealing
- Profiles are flexible and are pressed on by hand





Type 1





Type 2





Type 3




Type 4



Type 5



Type 6



Type 1

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490743	0.5 - 2	1	20

Type 2

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490744	1 - 3	2	20m

Type 3

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490745	2.5 - 3.5	3	20

Type 4

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490746	2.5 - 4	4	20

Type 5

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490747	4 - 5	5	20

Type 6

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490748	1 - 1.5	6	20

CONTINUED ON NEXT PAGE

Top Bubble Gasket



CONTINUED

Black EPDM

- Supplied in rolls of 20m
- Clip on profile offering edge protection and sealing
- Profiles are flexible and are pressed on by hand

Type 7



Part Number	Clamping Range (mm)	Type	Roll Length (m)
490749	0.5 - 1.5	7	20



Type 7

Type 8



Part Number	Clamping Range (mm)	Type	Roll Length (m)
490750	1 - 3	8	20



Type 8

Type 9


Part Number	Clamping Range (mm)	Type	Roll Length (m)
490751	3 - 5	9	20



Type 9

Type 10



Part Number	Clamping Range (mm)	Type	Roll Length (m)
490752	2 - 3	10	20



Type 10

Type 11



Part Number	Clamping Range (mm)	Type	Roll Length (m)
490753	2 - 3.5	11	20





Type 11

Side Bubble Gasket



Black EPDM





Type 1





Type 2





Type 3



Type 4



Type 5



Type 6

- Supplied in rolls of 20m
- Clip on profile offering edge protection and sealing
- Profiles are flexible and pressed on by hand

Type 1

Part Number	Clamping Range (mm)	Type	Roll Length (m)
493004	1.5 - 3	1	20m

Type 2

Part Number	Clamping Range (mm)	Type	Roll Length (m)
493005	2 - 3.5	2	20m

Type 3

Part Number	Clamping Range (mm)	Type	Roll Length (m)
493006	3 - 5	3	20m

Type 4

Part Number	Clamping Range (mm)	Type	Roll Length (m)
493007	2 - 5	4	20m

Type 5

Part Number	Clamping Range (mm)	Type	Roll Length (m)
493008	1 - 3	5	20m

Type 6

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490736	1 - 2.5	6	20m

CONTINUED ON NEXT PAGE



Side Bubble Gasket *CONTINUED*

Black EPDM

- Supplied in rolls of 20m
- Clip on profile offering edge protection and sealing
- Profiles are flexible and pressed on by hand

Type 7



Part Number	Clamping Range (mm)	Type	Roll Length (m)
490737	2 - 3	7	20



Type 7

Type 8



Part Number	Clamping Range (mm)	Type	Roll Length (m)
490738	1.5 - 3	8	20



Type 8

Type 9



Part Number	Clamping Range (mm)	Type	Roll Length (m)
490739	2 - 3	9	20



Type 9

Type 10



Part Number	Clamping Range (mm)	Type	Roll Length (m)
490740	2 - 3	10	20



Type 10

Type 11



Part Number	Clamping Range (mm)	Type	Roll Length (m)
490741	1 - 2	11	20



Type 11

Type 12

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490742	0.5 - 2	12	20




Type 12



Single Flipper Gasket

Black EPDM



- Single EPDM material flipper gasket
- Supplied in rolls of 20m
- Profiles are flexible and are pressed on by hand





Type 1




Type 2





Type 3



Type 4



Type 5



Type 6



Type 1

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490754	1 - 3	1	20m

Type 2

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490755	1 - 3	2	20m

Type 3

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490756	1 - 3	3	20m

Type 4

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490757	2 - 4	4	20m

Type 5

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490758	2 - 4	5	20m

Type 6

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490759	4 - 6	6	20m


Dual Flipper Gasket

Black EPDM


- Dual material; hard rubber carrier to improve grip to panel and softer rubber to aid compression
- Supplied in rolls of 20m
- Profiles are flexible and are pressed on by hand

Type 1

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490760	1-3	1	20




Type 1




Type 2

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490761	1-3	2	20




Type 2



Type 3

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490762	2-3	3	20




Type 3




Type 4

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490763	2-4	4	20




Type 4




Type 5

Part Number	Clamping Range (mm)	Type	Roll Length (m)
490764	1-3	5	20




Type 5




GASKETING

PVC Edge Protector

Black PVC with steel spring core



Type 1




Type 2



Type 3




Type 4




Type 5



Type 6



Type 7




Type 8




Type 9




Type 10




Type 1




Type 2




Type 3




Type 4




Type 5




Type 6




Type 7



Type 8



Type 9



Type 10

- Supplied in rolls of 20m
- Provided protection to steel edges
- Profiles are flexible and pressed on by hand
- Suitable for -40°C to +90°C



Type 1

Part Number	Clamping Range (mm)	Colour	Roll Length (m)
492988	1	Black	20m
497981	1	Grey	20m
497991	1	White	20m

Type 2

Part Number	Clamping Range (mm)	Colour	Roll Length (m)
492989	1-2	Black	20m
497988	1-2	Grey	20m
498133	1-2	White	20m

Type 3

Part Number	Clamping Range (mm)	Colour	Roll Length (m)
492990	1-4	Black	20m
497989	1-4	Grey	20m
498134	1-4	White	20m

Type 4

Part Number	Clamping Range (mm)	Colour	Roll Length (m)
492991	1-3	Black	20m
497982	1-3	Grey	20m
497992	1-3	White	20m

Type 5

Part Number	Clamping Range (mm)	Colour	Roll Length (m)
492992	1-4	Black	20m
497983	1-4	Grey	20m
498128	1-4	White	20m

Type 6

Part Number	Clamping Range (mm)	Colour	Roll Length (m)
492993	6-8	Black	20m
497990	6-8	Grey	20m
498135	6-8	White	20m

Type 7

Part Number	Clamping Range (mm)	Colour	Roll Length (m)
492994	1-4	Black	20m
497984	1-4	Grey	20m
498129	1-4	White	20m

Type 8

Part Number	Clamping Range (mm)	Colour	Roll Length (m)
492995	1-4	Black	20m
497985	1-4	Grey	20m
498130	1-4	White	20m

Type 9

Part Number	Clamping Range (mm)	Colour	Roll Length (m)
492996	1-4	Black	20m
497986	1-4	Grey	20m
498131	1-4	White	20m

Type 10

Part Number	Clamping Range (mm)	Colour	Roll Length (m)
492997	1-2	Black	20m
497987	1-2	Grey	20m
498132	1-2	White	20m

Dual-Hard Self Adhesive SR

Solid Black EPDM @ 70° Shore A


Expanded Black EPDM @ 0.65g.ccm S.G.

- Used in industrial and automotive applications
- Ideal in areas of high dynamic uses exposed to rigorous daily demands
- High bond taped profile allows an instant fix and is intended as a permanent attachment
- Tolerances ISO 3302-1 1996 Class E-2 / E-3



Part Number 551824	Roll Length (m) 20
-----------------------	-----------------------

Part Number 551825	Roll Length (m) 20
-----------------------	-----------------------



Steel Inserted Side Bubble Gasket

Solid Black EPDM @ 70° Shore A

Expanded Black EPDM @ 0.65g.ccm S.G.


- Robustly designed profile for dynamic sealing
- Typically used as door seals on larger heavy duty vehicles
- Steel insert provides an increased grip which is resistant against high vibration



Part Number 551826	Roll Length (m) 20
-----------------------	-----------------------

Part Number 551827	Roll Length (m) 20
-----------------------	-----------------------



Part Number 551828	Roll Length (m) 20
-----------------------	-----------------------



GASKETING

S Profile Glazing Gasket

Solid black EPDM @ 60° Shore A



- Easy to fit, used for sealing windows, inspection panel
- Used in lightweight applications
- Ideal when glass or acrylic panels are not subjected to high pressures or exposure to external weather elements
- Tolerances ISO 3302-1 1996 Class E-2

Type 1





Part Number	Roll Length (m)
551829	20

Type 2

Part Number	Roll Length (m)
551830	20

Glazing Gasket Solid

Black EPDM @ 70° Shore A



- Easy to fit glazing solution for windows and inspection panels
- Effective weatherproof seal, can be used where there are rigorous environmental demands

Type 1

Part Number	Roll Length (m)
551831	20

Type 2

Part Number	Roll Length (m)
551832	20

Type 3

Part Number	Roll Length (m)
551833	20

Type 4

Part Number	Roll Length (m)
551834	20

Round Cord Gasket

EPDM



Ref. MGO		Dimension (mm)		Roll Length (m)
EPDM Sponge	EPDM Solid	Ø		
551808	551816	2.5		10
551809	551817	3.0		10
13205350	551818	4.0		10
13205351	132505343	5.0		10
13200071	132505344	6.0		10
13202360	551821	8.0		10
551814	551822	9.5		10
13205112	551823	12.0		10

EMI Gasketing

Polyurethane foam covered in nickel-copper tape.

- EMI Gasket reduce radiated emissions from boxes and enclosures.
- Wide bandwidth response 0.1-180 GHz
- High noise reducing characteristics 80-90dB
- Low Resistivity 0.8 Ω-cm
- Adhesive base for simple installation
- Maximum uncut length 1 metre



Type 1

Part Number	Dimensions (mm)			Compression Range	Mounting	Fire Rating	Standard Pack Qty (5 X 1M)
	A	B	C				
552044	10.7	9.8	5	10-25%	Adhesive Tape-Non Conductive	V-0	5m

Type 2

Part Number	Dimensions (mm)			Compression Range	Mounting	Fire Rating	Standard Pack Qty (5 X 1M)
	A	B	C				
552045	12.7	12.7	5	10-25%	Adhesive Tape-Non Conductive	V-0	5m

Type 3

Part Number	Dimensions (mm)			Compression Range	Mounting	Fire Rating	Standard Pack Qty (5 X 1M)
	A	B	C				
552046	9.5	6.4	5	10-25%	Adhesive Tape-Non Conductive	V-0	5m

Type 4

Part Number	Dimensions (mm)			Compression Range	Mounting	Fire Rating	Standard Pack Qty (5 X 1M)
	A	B	C				
552047	12.7	6.4	5	10-25%	Adhesive Tape-Non Conductive	V-0	5m

