

RECORD 2000



PISTOLA DE PINTURA

- Capacidade de depósito: 1000 cc.
- Com regulador de ar
- Pressão de trabalho: 4 a 8 bars.
- Consumo de ar: 150 a 250 l/min.



SPRAY GUN

- Tank capacity : 1000 cc.
- Provided with air flow adjustment
- Work pressure: 4 to 8 bars.
- Air consumption: 150 a 250 l/min.



| REF. | BICO/ NOZZLE | | € |
|-----------|--------------|----|---|
| 01R200012 | Ø 1,2 | 01 | |
| 01R200015 | Ø 1,5 | 01 | |
| 01R200018 | Ø 1,8 | 01 | |
| 01R200020 | Ø 2,0 | 01 | |
| 01R200022 | Ø 2,2 | 01 | |
| 01R200025 | Ø 2,5 | 01 | |

RECORD 2100



PISTOLA DE PINTURA

- Capacidade de depósito: 1000 cc.
- Com regulador de ar
- Pressão de trabalho: 4 a 8 bars.
- Consumo de ar: 150 a 250 l/min.



SPRAY GUN

- Tank capacity : 1000 cc.
- Provided with air flow adjustment
- Work pressure: 4 to 8 bars.
- Air consumption: 150 a 250 l/min.



| REF. | BICO/ NOZZLE | | € |
|-----------|--------------|----|---|
| 01R210012 | Ø 1,2 | 01 | |
| 01R210015 | Ø 1,5 | 01 | |
| 01R210018 | Ø 1,8 | 01 | |
| 01R210020 | Ø 2,0 | 01 | |
| 01R210022 | Ø 2,2 | 01 | |
| 01R210025 | Ø 2,5 | 01 | |

RECORD 2200



PISTOLA DE PINTURA

- Capacidade de depósito: 600 cc.
- Com regulador de ar
- Pressão de trabalho: 4 a 8 bars.
- Consumo de ar: 150 a 250 l/min.



SPRAY GUN

- Tank capacity : 600 cc.
- Provided with air flow adjustment
- Work pressure: 4 to 8 bars.
- Air consumption: 150 a 250 l/min.



| REF. | BICO/ NOZZLE | | € |
|-----------|--------------|----|---|
| 01R220012 | Ø 1,2 | 01 | |
| 01R220015 | Ø 1,5 | 01 | |
| 01R220018 | Ø 1,8 | 01 | |
| 01R220020 | Ø 2,0 | 01 | |
| 01R220022 | Ø 2,2 | 01 | |
| 01R220025 | Ø 2,5 | 01 | |

RECORD S



PISTOLA DE PINTURA

- Pressão de trabalho: 4 a 8 bars.
- Para reservatórios/bomba de pintura (tinta e verniz)
- Com regulador de ar



SPRAY GUN

- Work pressure: 4 to 8 bars.
- For pressurized tank / pump painting (paint and varnish)
- Provided with air flow adjustment



| REF. | BICO/ NOZZLE | | € |
|-----------|--------------|----|---|
| 01RS00012 | Ø 1,2 | 01 | |
| 01RS00015 | Ø 1,5 | 01 | |
| 01RS00018 | Ø 1,8 | 01 | |
| 01RS00020 | Ø 2,0 | 01 | |
| 01RS00022 | Ø 2,2 | 01 | |
| 01RS00025 | Ø 2,5 | 01 | |

RECORD 2000 R



KIT DE BICOS

- Para modelos RECORD



NOZZLES KIT

- For RECORD models



| REF. | BICO/ NOZZLE | | € |
|-----------|--------------|----|---|
| 012000R12 | Ø 1,2 | 01 | |
| 012000R15 | Ø 1,5 | 01 | |
| 012000R18 | Ø 1,8 | 01 | |
| 012000R20 | Ø 2,0 | 01 | |
| 012000R22 | Ø 2,2 | 01 | |
| 012000R25 | Ø 2,5 | 01 | |

RECORD HVLP

- PISTOLA DE PINTURA**
- Capacidade de depósito: 600 cc.
 - Com regulador de ar
 - Pressão de trabalho: 2 a 4 bars.
 - Consumo de ar: 350 a 450 l/min.

- SPRAY GUN**
- Tank capacity : 600 cc.
 - Provided with air flow adjustment
 - Work pressure: 2 a 4 bars.
 - Air consumption: 350 to 450 l/min.



| REF. | BICO/ NOZZLE | | € |
|-----------|--------------|----|---|
| 01RHVLP12 | Ø 1,2 | 01 | |
| 01RHVLP15 | Ø 1,5 | 01 | |
| 01RHVLP18 | Ø 1,8 | 01 | |
| 01RHVLP20 | Ø 2,0 | 01 | |

HVLP R

- KITS DE BICOS**
- Para modelo RECORD HVLP

- NOZZLES KIT**
- For RECORD HVLP model



| REF. | BICO/ NOZZLE | | € |
|-----------|--------------|----|---|
| 01HVLPR12 | Ø 1,2 | 01 | |
| 01HVLPR15 | Ø 1,5 | 01 | |
| 01HVLPR18 | Ø 1,8 | 01 | |
| 01HVLPR20 | Ø 2,0 | 01 | |

RECORD 2000 ECO

- PISTOLA DE PINTURA**
- Capacidade de depósito: 1000 cc.
 - Com regulador de ar
 - Pressão de trabalho: 4 a 8 bars.
 - Consumo de ar: 150 a 250 l/min.

- SPRAY GUN**
- Tank capacity : 1000 cc.
 - Provided with air flow adjustment
 - Work pressure: 4 to 8 bars.
 - Air consumption: 150 to 250 l/min.



| REF. | BICO/ NOZZLE | | € |
|------------|--------------|----|---|
| 01R2000E12 | Ø 1,2 | 01 | |
| 01R2000E15 | Ø 1,5 | 01 | |
| 01R2000E18 | Ø 1,8 | 01 | |
| 01R2000E20 | Ø 2,0 | 01 | |
| 01R2000E22 | Ø 2,2 | 01 | |
| 01R2000E25 | Ø 2,5 | 01 | |

RECORD 2100 ECO

- PISTOLA DE PINTURA**
- Capacidade de depósito: 1000 cc.
 - Com regulador de ar
 - Pressão de trabalho: 4 a 8 bars.
 - Consumo de ar: 150 a 250 l/min.

- SPRAY GUN**
- Tank capacity : 1000 cc.
 - Provided with air flow adjustment
 - Work pressure: 4 to 8 bars.
 - Air consumption: 150 to 250 l/min.



| REF. | BICO/ NOZZLE | | € |
|------------|--------------|----|---|
| 01R2100E12 | Ø 1,2 | 01 | |
| 01R2100E15 | Ø 1,5 | 01 | |
| 01R2100E18 | Ø 1,8 | 01 | |
| 01R2100E20 | Ø 2,0 | 01 | |
| 01R2100E22 | Ø 2,2 | 01 | |
| 01R2100E25 | Ø 2,5 | 01 | |

RECORD 2200 ECO

- PISTOLA DE PINTURA**
- Capacidade de depósito: 600 cc.
 - Com regulador de ar
 - Pressão de trabalho: 4 a 8 bars.
 - Consumo de ar: 150 a 250 l/min.

- SPRAY GUN**
- Tank capacity : 600 cc.
 - Provided with air flow adjustment
 - Work pressure: 4 to 8 bars.
 - Air consumption: 150 to 250 l/min.




| REF. | BICO/ NOZZLE | | € |
|------------|--------------|----|---|
| 01R2200E12 | Ø 1,2 | 01 | |
| 01R2200E15 | Ø 1,5 | 01 | |
| 01R2200E18 | Ø 1,8 | 01 | |
| 01R2200E20 | Ø 2,0 | 01 | |
| 01R2200E22 | Ø 2,2 | 01 | |
| 01R2200E25 | Ø 2,5 | 01 | |

1600 R


 **KITS DE BICOS**
- Para modelos RECORD ECO 2000/2100/2200


 **NOZZLES KIT**
- For RECORD ECO 2000 /2100/2200 models




| REF. | BICO/ NOZZLE |  | € |
|-----------|--------------|---|---|
| 011600R12 | Ø 1,2 | 01 | |
| 011600R15 | Ø 1,5 | 01 | |
| 011600R18 | Ø 1,8 | 01 | |
| 011600R20 | Ø 2,0 | 01 | |
| 011600R22 | Ø 2,2 | 01 | |
| 011600R25 | Ø 2,5 | 01 | |

162 DS

 **PISTOLA DE PINTURA**
- Capacidade de depósito: 1000 cc.
- Pressão de trabalho: 4 a 8 bars.
- Consumo de ar: 100 a 200 l/min.


 **SPRAY GUN**
- Tank capacity : 1000 cc.
- Work pressure: 4 a 8 bars.
- Air consumption: 100 to 200 l/min.




| REF. | BICO/ NOZZLE |  | € |
|-----------|--------------|---|---|
| 01162DS12 | Ø 1,2 | 01 | |
| 01162DS15 | Ø 1,5 | 01 | |
| 01162DS18 | Ø 1,8 | 01 | |
| 01162DS20 | Ø 2,0 | 01 | |
| 01162DS22 | Ø 2,2 | 01 | |
| 01162DS25 | Ø 2,5 | 01 | |


162 C

Tampa metálica / Metal cover

 **PISTOLA DE PINTURA**
- Capacidade de depósito: 1000 cc.
- Pressão de trabalho: 4 a 8 bars.
- Consumo de ar: 100 a 200 l/min.


 **SPRAY GUN**
- Tank capacity : 1000 cc.
- Work pressure: 4 a 8 bars.
- Air consumption: 100 to 200 l/min.




| REF. | BICO/ NOZZLE |  | € |
|-----------|--------------|--|---|
| 01162C012 | Ø 1,2 | 01 | |
| 01162C015 | Ø 1,5 | 01 | |
| 01162C018 | Ø 1,8 | 01 | |
| 01162C020 | Ø 2,0 | 01 | |
| 01162C022 | Ø 2,2 | 01 | |
| 01162C025 | Ø 2,5 | 01 | |


162 B

Tampa plástica / Plastic cover


 **PISTOLA DE PINTURA**
- Capacidade de depósito: 1000 cc.
- Pressão de trabalho: 4 a 8 bars.
- Consumo de ar: 100 a 200 l/min.


 **SPRAY GUN**
- Tank capacity : 1000 cc.
- Work pressure: 4 a 8 bars.
- Air consumption: 100 to 200 l/min.




| REF. | BICO/ NOZZLE |  | € |
|-----------|--------------|---|---|
| 01162B012 | Ø 1,2 | 01 | |
| 01162B015 | Ø 1,5 | 01 | |
| 01162B018 | Ø 1,8 | 01 | |
| 01162B020 | Ø 2,0 | 01 | |
| 01162B022 | Ø 2,2 | 01 | |
| 01162B025 | Ø 2,5 | 01 | |

162 A


 **PISTOLA DE PINTURA**
- Capacidade de depósito: 500 cc.
- Pressão de trabalho: 4 a 8 bars.
- Consumo de ar: 100 a 200 l/min.

 **SPRAY GUN**
- Tank capacity : 500 cc.
- Work pressure: 4 to 8 bars.
- Air consumption: 100 a 200 l/min.




| REF. | BICO/ NOZZLE |  | € |
|-----------|--------------|---|---|
| 01162A012 | Ø 1,2 | 01 | |
| 01162A015 | Ø 1,5 | 01 | |
| 01162A018 | Ø 1,8 | 01 | |
| 01162A020 | Ø 2,0 | 01 | |
| 01162A022 | Ø 2,2 | 01 | |
| 01162A025 | Ø 2,5 | 01 | |

1500 R


 **KIT DE BICOS**
- Para pistolas 162 A-B-C-DS


 **NOZZLES KIT**
- For 162 A-B-C -DS spray guns




| REF. | BICO/ NOZZLE |  | € |
|-----------|--------------|---|---|
| 011500R12 | Ø 1,2 | 01 | |
| 011500R15 | Ø 1,5 | 01 | |
| 011500R18 | Ø 1,8 | 01 | |
| 011500R20 | Ø 2,0 | 01 | |
| 011500R22 | Ø 2,2 | 01 | |
| 011500R25 | Ø 2,5 | 01 | |

PRO PAINT


 **PISTOLA DE PINTURA**
- Capacidade de depósito: 100 cc.
- Pressão de trabalho: 3 bar.
- Consumo de ar: 50 a 100 l/min.


 **SPRAY GUN**
- Tank capacity: 100 cc.
- Work pressure: 3 bar.
- Air consumption: 50 to 100 l/min.




| REF. | BICO/ NOZZLE |  | € |
|-----------|--------------|---|---|
| 01PROPA05 | Ø 0,5 | 01 | |
| 01PROPA07 | Ø 0,7 | 01 | |
| 01PROPA10 | Ø 1,0 | 01 | |

1000 R


 **KIT DE BICOS**
- Para pistolas PRO PAINT


 **NOZZLES KIT**
- For PRO PAINT spray gun




| REF. | BICO/ NOZZLE |  | € |
|-----------|--------------|---|---|
| 011000R05 | Ø 0,5 | 01 | |
| 011000R07 | Ø 0,7 | 01 | |
| 011000R10 | Ø 1,0 | 01 | |

SUPER PRO PAINT

 **PISTOLA DE PINTURA**
- Capacidade de depósito: 100 cc.
- Pressão de trabalho: 3 bar.
- Consumo de ar: 50 a 100 l/min.


 **SPRAY GUN**
- Tank capacity: 100 cc.
- Work pressure: 3 bar.
- Air consumption: 50 a 100 l/min.



| REF. | BICO/ NOZZLE |  | € |
|-----------|--------------|---|---|
| 01SPROP05 | Ø 0,5 | 01 | |
| 01SPROP07 | Ø 0,7 | 01 | |
| 01SPROP10 | Ø 1,0 | 01 | |

1200 R

 **KIT DE BICOS**
- Para pistolas SUPER PRO PAINT

 **NOZZLES KIT**
- For SUPER PRO PAINT spray gun




| REF. | BICO/ NOZZLE |  | € |
|-----------|--------------|---|---|
| 011200R05 | Ø 0,5 | 01 | |
| 011200R07 | Ø 0,7 | 01 | |
| 011200R10 | Ø 1,0 | 01 | |

800 F

 **FILTRO PARA PISTOLAS DE CORPO SUPERIOR**

 **FILTER FOR UPPER TANK SPRAY GUN**




| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 01800FSUP | 800 F | 01 | |

900 F

 **FILTRO PARA PISTOLAS DE CORPO INFERIOR**

 **FILTER FOR LOWER TANK SPRAY GUN**



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 01900FINF | 900 F | 01 | |

110 T

 **TUBO 10 MTS. P/ RESERVATÓRIO/ BOMBA DE PINTURA**


 **10 MTS. HOSE FOR PRESSURIZED TANK/ PAINTING PUMP**




| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 01110T10M | 110 T | 01 | |

SPA


 **SUPORE PARA PISTOLAS COPO SUPERIOR**
- * Pistola não incluída


 **SUPPORT FOR SPRAY GUNS WITH UPPER TANK**
- * Spray gun not included



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 01SPAPIST | SPA | 01 | |

KIT ITALIA


 **CONTEÚDO:**
- Pistola de pintura (mod. 162 B)
- Pistola de soprar (mod. 60 A)
- Pistola de encher pneus (mod. 60 D)
- Pistola de lavagem (mod. 61 B)
- Tubo espiral 5mts.


 **CONTENTS:**
- Spray gun (mod. 162 B)
- Blowing gun (mod. 60 A)
- Tyre inflating gun (mod. 60 D)
- Washing gun (mod. 61 B)
- Spiral hose 5 mts.




| REF. | MODELO/ MODEL |  | € |
|-------------|---------------|---|---|
| 01KITITALIA | KIT ITALIA | 01 | |

KIT GERMANIA


 **CONTEÚDO:**
- Pistola de pintura (mod. 162 A)
- Pistola de soprar (mod. 60 A)
- Pistola de encher pneus (mod. 60 D)
- Pistola de lavagem (mod. 61 B)
- Tubo espiral 5mts.


 **CONTENTS:**
- Spray gun (mod. 162 A)
- Blowing gun (mod. 60 A)
- Tyre inflating gun (mod. 60 D)
- Washing gun (mod. 61 B)
- Spiral hose 5 mts.




| REF. | MODELO/ MODEL |  | € |
|---------------|---------------|---|---|
| 01KITGERMANIA | KIT GERMANIA | 01 | |

60 A

 **SOPRADOR DE AR**
- Pressão de trabalho: 6 bar.
- Consumo de ar: 200 l/min.


 **BLOWING GUN**
- Work pressure: 6 bar.
- Air consumption: 200 l/min.




| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 0160ASOPR | 60 A | 01 | |

60 B

 **SOPRADOR DE AR DE BICO LONGO**
- Pressão de trabalho: 6 bar.
- Consumo de ar: 200 l/min.

 **BLOWING GUN WITH EXTENSION**
- Work pressure: 6 bar.
- Air consumption: 200 l/min.



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 0160BSOPR | 60 B | 01 | |

60 AP

PISTOLA E AR PROGRESSIVA

- Pressão de trabalho: 6 bar.
- Consumo de ar: 270 l/min.

BLOWING GUN WITH ADJUSTMENT

- Work pressure: 6 bar.
- Air consumption: 270 l/min.



| REF. | MODELO/ MODEL | | € |
|-----------|---------------|----|---|
| 0160APSOP | 60 AP | 01 | |

UV 60 AP

BICO VENTURI

- Para modelos 60 A e 60 AP
- Pressão de trabalho: 6 bar.
- Consumo de ar: 600 l/min.

VENTURI NOZZLE

- For 60 A e 60 AP models
- Work pressure: 6 bar.
- Air consumption: 600 l/min.



| REF. | MODELO/ MODEL | | € |
|----------|---------------|----|---|
| 01UV60AP | UV 60 AP | 01 | |

KIT CAMION

KIT:

- Pistola de ar
- Tubo espiral com ligações

SET:

- Blowing gun
- Spiral hose with connections



| REF. | MODELO/ MODEL | | € |
|-------------|---------------|----|---|
| 01KITCAMION | 60 AP/SP | 01 | |


M155/1

KIT LIGAÇÕES

- Para cabines de camiões

QUICK COUPLER KIT

- For cockpit trucks



| REF. | MODELO/ MODEL | | € |
|--------------|---------------|----|---|
| 01KLIGCAMION | M155/1 | 01 | |

(A) - SCANIA
(B) - IVECO

61 AC

PISTOLA DE LAVAGEM AR/ÁGUA

WASHING GUN



| REF. | MODELO/ MODEL | | € |
|--------|---------------|----|---|
| 0161AC | 61 AC | 01 | |

61 A

PISTOLA DE LAVAGEM

- Tampa em alumínio
- Capacidade: 1000 cc.

WASHING GUN

- Aluminium cover
- Capacity: 1000 cc.



| REF. | MODELO/ MODEL | | € |
|-----------|---------------|----|---|
| 0161ALAVA | 61 A | 01 | |

61 B

PISTOLA DE LAVAGEM

- Racor roscado
- Capacidade: 1000 cc.
- Copo em aço

WASHING GUN

- Screw coupling
- Capacity: 1000 cc.
- Steel tank



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 0161BLAVA | 61 B | 01 | |

61 C

PISTOLA DE LAVAGEM

- Depósito de encaixe rápido
- Capacidade: 1000 cc.
- Tampa plástica

WASHING GUN

- Rapid hook closing
- Capacity: 1000 cc.
- Plastic Cover



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 0161CLAVA | 61 C | 01 | |

NYCA L

Carbon nylon

PISTOLA DE LAVAGEM

- Depósito roscado
- Capacidade: 700 cc.

WASHING GUN

- Rapid hook closing
- Capacity: 700 cc.



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 0161LLAVA | NYCA L | 01 | |

60 D

PISTOLA DE ENCHER PNEUS

- Manómetro - Ø 63 - BAR/PSI
- Pressão de trabalho: 0 - 12 bar.
- Tubo: 40 cm com ponteira 60 E

TYRE INFLATING GUN

- Manometer - Ø 63 - BAR/PSI
- Operating pressure 0 - 12 bar.
- Length pipe 40 cm with head model 60 E



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 0160D6312 | 60 D | 01 | |

MANÓMETRO/ MANOMETER

MANÓMETRO RADIAL

- Ø 63 - Rosca 1/4 M - BAR/PSI
- 0-12 BAR/PSI

RADIAL MANOMETER

- Ø 63 - Thread 1/4 M - BAR/PSI
- 0-12 BAR/PSI



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 0163RADIA | --- | 01 | |

60 D-T

PISTOLA DE ENCHER PNEUS

- Manómetro - Ø 63 - BAR
- Pressão de trabalho: 0 ÷ 10 bar.
- Tubo: 40 cm com ponteira 60 E
- * Aferido segundo Normativa CEE Nº 86/217

TYRE INFLATING GUN

- Manometer - Ø 63 - BAR
- Operating pressure: 0 ÷ 10 bar.
- Length pipe 40 cm with model 60E
- * The calibration is into directive CEE Nº 86/217



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 0160DT63A | 60 D-T CEE | 01 | |

MANÓMETRO/ MANOMETER

MANÓMETRO RADIAL (AFERIDO)

- Ø 63 - Rosca 1/4 M
- 0 - 10 Bar.

RADIAL MANOMETER (CEE)

- Ø 63 - Thread 1/4 M
- 0 - 10 bar.



| REF. | MODELO/ MODEL | | € |
|-----------|---------------|----|---|
| 0163RADAF | --- | 01 | |

60 G

PISTOLA DE ENCHER PNEUS PROFISSIONAL

- Manómetro - Ø 63 e 80 - BAR/PSI
- Pressão de trabalho: 0 - 12 bar.
- Tubo: 50 cm com ponteira 60 E

PROFESSIONAL TYRE INFLATING GUN

- Manometer - Ø 63 and 80 - BAR/PSI
- Operating pressure: 0 - 12 bar.
- Length pipe 50 cm with Model 60 E



| REF. | MODELO/ MODEL | | € |
|-----------|---------------|----|---|
| 0160G6312 | 60 G - Ø 63 | 01 | |
| 0160G8012 | 60 G - Ø 80 | 01 | |

60 G

PISTOLA DE ENCHER PNEUS PROFISSIONAL

- Manómetro - Ø 63
- Pressão de trabalho: 0 - 12 bar.
- Tubo: 50 cm com ponteira 60 E2

PROFESSIONAL TYRE INFLATING GUN

- Manometer - Ø 63
- Operating pressure: 0 - 12 bar.
- Length pipe 50 cm with Model 60 E2



| REF. | MODELO/ MODEL | | € |
|-------------|----------------|----|---|
| 0160G6312E2 | 60 G - Ø 63 E2 | 01 | |

MANÓMETRO

MANÓMETRO POSTERIOR (BAR/PSI)

- Ø 63 e 80 - Rosca 1/4 M
- 0 - 12 Bar.

POSTERIOR MANOMETER (BAR/PSI)

- Ø 63 and 80 - Thread 1/4 M
- 0 - 12 Bar.



| REF. | MODELO/ MODEL | | € |
|-----------|---------------|----|---|
| 0163POSTE | Ø 63mm | 01 | |
| 0180POSTE | Ø 80mm | 01 | |

60 G-T



PISTOLA DE ENCHER PNEUS

- Manómetro - Ø 63 e 80 (BAR/CEE)
- Pressão de trabalho: 0 ÷ 10 bar.
- Tubo: 50 cm com ponteira 60 E
- * Aferido segundo Normativa CEE Nº 86/217



TYRE INFLATING GUN

- Manometer - Ø 63 e 80 (BAR/CEE)
- Operating pressure: 0 ÷ 10 bar.
- Pipe: 50 cm with head 60 E
- * The calibration is into directive CEE Nº 86/217



| REF. | MODELO/ MODEL | | € |
|-----------|---------------|----|---|
| 0160GT63A | 60 G-T Ø 63 | 01 | |
| 0160GT80A | 60 G-T Ø 80 | 01 | |

MANÓMETRO



MANÓMETRO POSTERIOR (AFERIDO)

- Ø 63 e 80 - Rosca 1/4 M
- 0 - 10 Bar.



POSTERIOR MANOMETER (CEE APPROVED)

- Ø 63 and 80 - Thread 1/4 M
- 0 - 10 Bar.



| REF. | MODELO/ MODEL | | € |
|-----------|---------------|----|---|
| 0163POSAP | Ø 63mm | 01 | |
| 0180POSAP | Ø 80mm | 01 | |

60 GD



PISTOLA DE ENCHER PNEUS DIGITAL

- Medição: Psi, Bar, Kpa, Kg/cm.
- Manómetro - Ø 80
- Pressão de trabalho: 0 ÷ 12 bar.
- Alimentação: 2 pilhas de lítio 1.5 V
- Resolução: ± 0,02 Bar.
- Tubo: 50 cm com ponteira 60 E



DIGITAL TYRE INFLATING GUN

- Measure: Psi, Bar, Kpa, Kg/cm.
- Manometer - Ø 80
- Operating pressure: 0 ÷ 12 bar.
- Power: 2 lithium batteries 1.5 V
- Resolution rate: ± 0,02 Bar.
- Length pipe 50 cm with head model 60E2



| REF. | MODELO/ MODEL | | € |
|----------|---------------|----|---|
| 0160GD80 | 60 GD - Ø 80 | 01 | |

60 F



MANÓMETRO DE PRESSÃO

- Manómetro - Ø 63 - BAR/PSI
- Pressão de trabalho 0 ÷ 12 bar.
- Tubo: 30 cm com ponteira 60 E



TYRE TESTER

- Manometer - Ø 63 - BAR/PSI
- Operating pressure 0 ÷ 12 bar.
- Length pipe 30 cm with head model 60E



| REF. | MODELO/ MODEL | | € |
|-----------|---------------|----|---|
| 0160F6312 | 60 F - Ø 63 | 01 | |

TUBO/ HOSE



TUBO PARA PISTOLAS ENCHER PNEUS

- Tubo de 40 cm com ponteira 60 E




HOSE FOR TYRE INFLATING GUNS

- Length pipe 40 cm with head model 60E



| REF. | MODELO/ MODEL | | € |
|-------------|---------------|----|---|
| 0160F40060E | --- | 01 | |



60 E

-  PONTEIRA P/MANGUEIRA 8mm
-  UNIVERSAL HEAD FOR 8mm HOSE



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 0160E08MM | 60 E - 8 MM | 01 | |

60 E1

-  PONTEIRA P/MANGUEIRA 8mm
-  UNIVERSAL HEAD FOR 8mm HOSE



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 0160E108M | 60 E1 - 8 MM | 01 | |



60 E2

-  PONTEIRA P/MANGUEIRA 8mm
-  UNIVERSAL HEAD FOR 8mm HOSE



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|--|---|
| 0160E208M | 60 E2 - 8 MM | 01 | |



SET AGO

-  KIT PONTEIRAS
- Para bolas, barcos e bicicletas
-  NEEDLE SET
- For balls, rubber boats and cycles



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 01SETAGOB | SET AGO | 01 | |


166 A


-  PISTOLA DECAPAGEM
- Capacidade de depósito: 1000 cc.
- Pressão de trabalho: 6 a 8 bars.
- Consumo de ar: 250 a 300 l/min.
-  SAND-BLASTING GUN
- Tank capacity : 1000 cc.
- Work pressure: 6 a 8 bars.
- Air consumption: 250 to 300 l/min.



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 01166ADEC | 166 A | 01 | |

166 B


-  **PISTOLA DECAPAGEM C/ TUBO (2Mts.)**
- Pressão de trabalho: 6 a 8 bars.
- Consumo de ar: 250 a 300 l/min.


-  **SAND-BLASTING GUN WITH HOSE (2Mts.)**
- *Work pressure: 6 a 8 bars.*
- *Air consumption: 250 to 300 l/min.*



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 01166BDEC | 166 A | 01 | |

164 A


-  **PISTOLA FLINTKOTE**
- Capacidade de depósito: 1000 cc.
- Pressão de trabalho: 6 a 8 bars.
- Consumo de ar: 250 a 300 l/min.

-  **GUN FOR SOUNDS-DEADENING TREATMENTS**
- *Tank capacity : 1000 cc.*
- *Work pressure: 6 a 8 bars.*
- *Air consumption: 250 to 300 l/min.*



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 01164AFLI | 164 A | 01 | |

167 A

-  **PISTOLA FLINTKOTE PARA CARTUCHOS**
- Pressão de trabalho: 6 a 8 bars.
- Consumo de ar: 250 a 300 l/min.

-  **GUN FOR PROTECTION AND SOUND-ROOFING TREATMENTS**
- *Work pressure: 6 a 8 bars.*
- *Air consumption: 250 to 300 l/min.*



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 01167AFLI | 167 A | 01 | |

167 B



-  **PISTOLA FLINTKOTE COM TUBO PARA CARTUCHOS**
- Pressão de trabalho: 6 a 8 bars.
- Consumo de ar: 250 a 300 l/min.

-  **GUN FOR PROTECTION AND SOUND-ROOFING TREATMENTS**
- *Work pressure: 6 a 8 bars.*
- *Air consumption: 250 to 300 l/min.*



| REF. | MODELO/ MODEL |  | € |
|-----------|---------------|---|---|
| 01167BFLI | 167 B | 01 | |

168 A

-  **PISTOLA DE ESPUMA POLIURETANO**
-  **POLYURETHANE FOAM GUN**



| REF. | MODELO/ MODEL |  | € |
|------------|---------------|---|---|
| 01168AESPO | 168 A | 01 | |